

SAVARA BEAUTY DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 5/28/2025 Revision date: 5/28/2027

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Trade name : DOT Fragrance Ladies Inspired by Good Girl
Type of product : Perfumes, Fragrances
Product code : SH1892
Product group : Cosmetics, personal care products

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Supplier's details

Manufacturer

Shield Chemicals
9 London St
Apex Benoni
South Africa
T 0104482444

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids, Category 3	H226
Serious eye damage/eye irritation, Category 2A	H319
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361
Specific target organ toxicity – Repeated exposure, Category 2	H373
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA) :



Signal word (GHS ZA) :

Warning

Hazardous ingredients :

D-limonene; coumarin; cis-4-(isopropyl)cyclohexanemethanol; 3-p-cumenyl-2-methylpropionaldehyde; alpha-methyl-1,3-benzodioxole-5-propanal; p-mentha-1,4-diene; 2,2,6-trimethyl-a-propylcyclohexanepropanol; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one; linalool; 7-Hydroxycitronellal

Hazard statements (GHS ZA) :

H226 - Flammable liquid and vapour
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H361 - Suspected of damaging fertility. (Inhalation)
H373 - May cause damage to organs (blood) through prolonged or repeated exposure (Inhalation)
H412 - Harmful to aquatic life with long lasting effects

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Precautionary statements (GHS ZA)	: P203 - Obtain, read and follow all safety instructions before use. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof ventilating equipment. P242 - Use non-sparking tools. P243 - Take action to prevent static discharges. P260 - Do not breathe dusts or mists. P261 - Avoid breathing vapours, spray, mist, gas, fume, dust. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective clothing, eye protection, face protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower]. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P318 - IF exposed or concerned, get medical advice. P319 - Get medical help if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P317 - If skin irritation or rash occurs: Get medical help. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use foam to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents and container to a hazardous or special waste collection point.
-----------------------------------	---

2.3. Other hazards

Adverse physicochemical, human health and environmental effects	: Flammable liquid and vapour,Suspected of damaging fertility or the unborn child,May cause damage to organs through prolonged or repeated exposure,May cause an allergic skin reaction,Causes serious eye irritation,Harmful to aquatic life with long lasting effects.
---	--

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to the United Nations GHS
D-limonene	CAS-No.: 5989-27-5	0.3 – 1.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
coumarin	CAS-No.: 91-64-5	0.3 – 1.5	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	CAS-No.: 54464-57-2	0.3 – 1.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 1, H410

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
linalool	CAS-No.: 78-70-6 EC Index-No.: 603-235-00-2	0.3 – 1.5	Flam. Liq. 4, H227 Acute Tox. Not classified (Dermal) Skin Sens. 1B, H317
benzyl salicylate	CAS-No.: 118-58-1	0.3 – 1.5	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
7-Hydroxycitronellal	CAS-No.: 107-75-5	0.3 – 1.5	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 STOT RE 2, H373 Aquatic Acute 3, H402
4-hydroxy-3-methoxybenzaldehyde	CAS-No.: 121-33-5	0.3 – 1.5	Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Eye Irrit. 2, H319 Aquatic Acute 3, H402
cis-4-(isopropyl)cyclohexanemethanol	-	0.03 – 0.3	Skin Irrit. 2, H315 Skin Sens. 1, H317
3-p-cumenyl-2-methylpropionaldehyde	CAS-No.: 103-95-7	0.03 – 0.3	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
alpha-methyl-1,3-benzodioxole-5-propanal	CAS-No.: 1205-17-0	0.03 – 0.3	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
p-mentha-1,4-diene	-	0.03 – 0.3	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Acute Not classified Aquatic Chronic 2, H411
2,2,6,-trimethyl-a-propylcyclohexanepropanol	-	0.03 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
- Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

- Hand protection : Protective gloves
- Eye protection : Safety glasses
- Skin and body protection : Wear suitable protective clothing
- Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Liquid.
- Colour : Colourless
- Odour : Characteristics
- Odour threshold : No data available
- pH : No data available
- pH solution : No data available
- Relative evaporation rate (butylacetate=1) : No data available
- Relative evaporation rate (ether=1) : No data available
- Melting point : Not applicable
- Freezing point : No data available

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Flammable liquid and vapour.
Vapour pressure	: No data available
Vapour pressure at 50°C	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

D-limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

coumarin (91-64-5)	
LD50 oral rat	680 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
LD50 oral rat	3810 mg/kg (Rat, Male / female, Weight of evidence, Oral, 14 day(s))
LD50 dermal rat	> 5000 mg/kg (Rat, Male, Experimental value, Dermal, 14 day(s))
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
LD50 oral rat	3362 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
p-mentha-1,4-diene	
LD50 oral rat	≈ 2000 mg/kg
LD50 dermal rat	≈ 2000 mg/kg
linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Weight of evidence, Oral, 014 day(s))
LD50 oral	≈ 2790 mg/kg
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
benzyl salicylate (118-58-1)	
LD50 oral rat	3031 – 3339 mg/kg bodyweight (EU Method B.1: Acute Toxicity (Oral), Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))
7-Hydroxycitronellal (107-75-5)	
LD50 oral rat	> 6400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
LD50 oral rat	3300 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal	> 3500 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
7-Hydroxycitronellal (107-75-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Suspected of damaging fertility. (Inhalation).
STOT-single exposure	: Not classified

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

p-mentha-1,4-diene	
STOT-single exposure	Not available
STOT-repeated exposure	: May cause damage to organs (blood) through prolonged or repeated exposure (Inhalation).
7-Hydroxycitronellal (107-75-5)	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

D-limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.36 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'

coumarin (91-64-5)	
LC50 - Fish [1]	2.94 mg/l (96 h, Pimephales promelas, QSAR, Lethal)
EC50 - Crustacea [1]	24.3 – 36.9 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
Partition coefficient n-octanol/water (Log Pow)	1.51 (Estimated value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)

3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
LC50 - Fish [1]	1.092 mg/l (96 h, Calculated value)
EC50 - Crustacea [1]	1.4 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value)
BCF - Fish [1]	155 l/kg (Calculated value)
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)

alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
LC50 - Fish [1]	5.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
EC50 - Crustacea [1]	8.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	28 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
p-mentha-1,4-diene	
LC50 - Fish [1]	≈ 2.792 mg/l
EC50 72h - Algae [1]	≈ 10.82 mg/l
linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	1.29 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Experimental value, GLP)
BCF - Fish [1]	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
7-Hydroxycitronellal (107-75-5)	
LC50 - Fish [1]	31.6 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	410 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	123.32 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)

12.2. Persistence and degradability

DOT Fragrance Ladies Inspired by Good Girl	
Persistence and degradability	Rapidly degradable
D-limonene (5989-27-5)	
Persistence and degradability	Rapidly degradable
coumarin (91-64-5)	
Persistence and degradability	Readily biodegradable in water.
cis-4-(isopropyl)cyclohexanemethanol	
Persistence and degradability	Rapidly degradable
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Persistence and degradability	Readily biodegradable in water.
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Persistence and degradability	Not readily biodegradable in water.
p-mentha-1,4-diene	
Persistence and degradability	Rapidly degradable
2,2,6-trimethyl-a-propylcyclohexanepropanol	
Persistence and degradability	Rapidly degradable
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2)	
Persistence and degradability	Rapidly degradable
linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
benzyl salicylate (118-58-1)	
Persistence and degradability	Readily biodegradable in water.
7-Hydroxycitronellal (107-75-5)	
Persistence and degradability	Rapidly degradable
4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

DOT Fragrance Ladies Inspired by Good Girl	
Bioaccumulative potential	No additional information available
coumarin (91-64-5)	
Partition coefficient n-octanol/water (Log Pow)	1.51 (Estimated value, 25 °C)

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

coumarin (91-64-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
BCF - Fish [1]	155 l/kg (Calculated value)
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
benzyl salicylate (118-58-1)	
BCF - Fish [1]	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
DOT Fragrance Ladies Inspired by Good Girl	
Mobility in soil	No additional information available
coumarin (91-64-5)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	1.51 (Estimated value, 25 °C)

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

coumarin (91-64-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)
Ecology - soil	Highly mobile in soil.
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.05 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Highly mobile in soil.
linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
benzyl salicylate (118-58-1)	
Surface tension	69 mN/m (20 °C, 0.004 g/l, EU Method A.5: Surface tension)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Flammable vapours may accumulate in the container.




DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 14: Transport information

In accordance with SANS / UN RTDG / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
1266	1266	1266
14.2. Proper Shipping Name		
PERFUMERY PRODUCTS	PERFUMERY PRODUCTS	Perfumery products
Transport document description		
Not applicable	UN 1266 PERFUMERY PRODUCTS, 3, III	UN 1266 Perfumery products, 3, III
14.3. Transport hazard class(es)		
3	3	3
		
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS)	: 223
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs Packing instructions (SANS)	: P001, IBC03, LP01
Portable tank and bulk containers instructions (SANS)	: T2
Portable tank and bulk container special provisions (SANS)	: TP1

IMDG

Special provisions (IMDG)	: 163, 223, 904, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Miscibility with water depends upon the composition.

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3, A72
ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

15.1.1. OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Prohibited Hazardous Chemical Agents

Not regulated

15.1.2. National Environmental Management Act, 1998

Regulation No. 51358 (Prior Informed Consent Procedure Regulations, 2024)

Not regulated

15.2. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 5/28/2025
Revision date : 5/28/2027

Full text of H-statements

H224	Extremely flammable liquid and vapour
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

DOT Fragrance Ladies Inspired by Good Girl

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements	
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.