

SAVARA BEAUTY DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 5/20/2025 Revision date: 5/20/2027

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: DOT Fragrance Ladies Inspired by Hypnotic Poison
Type of product	: Perfumes, Fragrances
Product code	: SH1939
Product group	: Cosmetics, personal care products

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Supplier's details

Manufacturer

Shield Chemicals
9 London St
Apex Benoni
South Africa
T 0104482444

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture



Classification according to the United Nations GHS

Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard, Category 2	H401
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)	:	 
Signal word (GHS ZA)	:	Warning
Hazardous ingredients	:	piperal; hexyl salicylate; trans-anethol; Methyl 2,4-dihydroxy-3,6-dimethylbenzoate; isoeugenol
Hazard statements (GHS ZA)	:	H317 - May cause an allergic skin reaction H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (GHS ZA)	:	P261 - Avoid breathing vapours, spray, mist, gas, fume, dust. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective clothing, eye protection, face protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P317 - If skin irritation or rash occurs: Get medical help. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage.

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : May cause an allergic skin reaction, Toxic to aquatic life, Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to the United Nations GHS
4-hydroxy-3-methoxybenzaldehyde	CAS-No.: 121-33-5	1.5 – 3	Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Eye Irrit. 2, H319 Aquatic Acute 3, H402
Oxacyclohexade cenone mixture	-	≥ 1.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
piperonal	CAS-No.: 120-57-0	0.3 – 1.5	Acute Tox. Not classified (Dermal) Skin Sens. 1B, H317
Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatiene	CAS-No.: 144020-22-4	0.3 – 1.5	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Aquatic Acute 1, H400
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	CAS-No.: 28219-61-6	0.3 – 1.5	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Aquatic Acute 2, H401 Aquatic Chronic 2, H411
hexyl salicylate	CAS-No.: 6259-76-3	0.3 – 1.5	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
benzyl salicylate	CAS-No.: 118-58-1	0.3 – 1.5	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
(z)-hexenyl salicylate	CAS-No.: 65405-77-8	0.3 – 1.5	Flam. Liq. Not classified STOT RE Not classified Aquatic Acute 1, H400
trans-anethol	CAS-No.: 4180-23-8	0.03 – 0.3	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Sens. 1, H317 Aquatic Acute 2, H401

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	-	0.03 – 0.3	Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 STOT SE 3, H335 Aquatic Acute Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
-------------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
--------------------	--

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Non flammable
Vapour pressure	: No data available
Vapour pressure at 50°C	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

4-hydroxy-3-methoxybenzaldehyde (121-33-5)

LD50 oral rat	3300 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
---------------	--

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal	> 3500 mg/kg
piperonal (120-57-0)	
LD50 oral rat	2700 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Oral, 5 day(s))
LD50 oral	> 2700 mg/kg
LD50 dermal rat	> 5000 mg/kg (Equivalent or similar to OECD 402, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene (144020-22-4)	
LD50 oral rat	> 5000 mg/kg Source: NCIS
LD50 dermal rat	> 2000 mg/kg Source: NCIS
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, 2 week(s), Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 5 ml/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal)
benzyl salicylate (118-58-1)	
LD50 oral rat	3031 – 3339 mg/kg bodyweight (EU Method B.1: Acute Toxicity (Oral), Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))
(z)-hexenyl salicylate (65405-77-8)	
LD50 oral	2500 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
trans-anethol (4180-23-8)	
LD50 oral rat	1420 – 3000 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral)
LD50 oral	> 2000 mg/kg bodyweight (Expert judgement)
LD50 dermal rabbit	> 4900 mg/kg bodyweight (Equivalent or similar to EU Method B.3, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	≥ 5.1 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol))
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	
LD50 oral rat	≈ 5000 mg/kg
LD50 dermal rat	≈ 5000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate

STOT-single exposure : Not available

STOT-repeated exposure : Not classified

(z)-hexenyl salicylate (65405-77-8)

NOAEL (oral, rat, 90 days) : 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

4-hydroxy-3-methoxybenzaldehyde (121-33-5)

LC50 - Fish [1] : 57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)

EC50 - Crustacea [1] : 36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

ErC50 algae : 120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

Partition coefficient n-octanol/water (Log Pow) : 1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)

Organic Carbon Normalized Adsorption Coefficient (Log Koc) : 3.438 (log Koc, Experimental value)

piperonal (120-57-0)

LC50 - Fish [1] : 2.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Static system, Fresh water, Experimental value, GLP)

EC50 - Crustacea [1] : 52 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)

ErC50 algae : 31 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

Partition coefficient n-octanol/water (Log Pow) : 1.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)

Organic Carbon Normalized Adsorption Coefficient (Log Koc) : 1.1 (log Koc, Calculated value)

Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene (144020-22-4)

LC50 - Fish [1] : 0.63 mg/l Source: NCIS

EC50 - Crustacea [1] : 1.82 mg/l Source: NCIS

2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)

LC50 - Fish [1] : 1.1 mg/l (US EPA, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, GLP)

ErC50 algae : 2.5 mg/l (US EPA, 96 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, GLP)

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)	
BCF - Other aquatic organisms [1]	667 (Other, QSAR)
Partition coefficient n-octanol/water (Log Pow)	4.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.57 (log Koc, Other, QSAR)
hexyl salicylate (6259-76-3)	
LC50 - Fish [1]	100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.61 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)
BCF - Fish [1]	8913 l/kg (Pisces, Flow-through system, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 (log Koc, Calculated value)
benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	1.29 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Experimental value, GLP)
BCF - Fish [1]	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
(z)-hexenyl salicylate (65405-77-8)	
LC50 - Fish [1]	3.8 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	1.13 – 3.78 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	2.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.61 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	0.28 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
trans-anethol (4180-23-8)	
LC50 - Fish [1]	7 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	4.25 mg/l (ASTM E729-88, 48 h, Daphnia magna, Flow-through system, Experimental value)
BCF - Fish [1]	79.92 l/kg (Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.388 (QSAR, KOWWIN, 25 °C)

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

trans-anethol (4180-23-8)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.717 – 2.856 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	
LC50 - Fish [1]	≈ 5.2 mg/l
EC50 72h - Algae [1]	≈ 3.3 mg/l

12.2. Persistence and degradability

DOT Fragrance Ladies Inspired by Hypnotic Poison	
Persistence and degradability	Rapidly degradable
Oxacyclohexade cenone mixture	
Persistence and degradability	Rapidly degradable
4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Persistence and degradability	Readily biodegradable in water.
piperonal (120-57-0)	
Persistence and degradability	Biodegradable in the soil, Readily biodegradable in water.
ThOD	1.71 g O ₂ /g substance
Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene (144020-22-4)	
Persistence and degradability	Rapidly degradable
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)	
Persistence and degradability	Not readily biodegradable in water.
ThOD	3 g O ₂ /g substance
hexyl salicylate (6259-76-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.36 g O ₂ /g substance
benzyl salicylate (118-58-1)	
Persistence and degradability	Readily biodegradable in water.
(z)-hexenyl salicylate (65405-77-8)	
Persistence and degradability	Rapidly degradable
trans-anethol (4180-23-8)	
Persistence and degradability	Readily biodegradable in water.
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

DOT Fragrance Ladies Inspired by Hypnotic Poison	
Bioaccumulative potential	No additional information available
4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
piperonal (120-57-0)	
Partition coefficient n-octanol/water (Log Pow)	1.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.1 (log Koc, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)	
BCF - Other aquatic organisms [1]	667 (Other, QSAR)
Partition coefficient n-octanol/water (Log Pow)	4.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.57 (log Koc, Other, QSAR)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
hexyl salicylate (6259-76-3)	
BCF - Fish [1]	8913 l/kg (Pisces, Flow-through system, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 (log Koc, Calculated value)
Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).
benzyl salicylate (118-58-1)	
BCF - Fish [1]	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
trans-anethol (4180-23-8)	
BCF - Fish [1]	79.92 l/kg (Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.388 (QSAR, KOWWIN, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.717 – 2.856 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	
DOT Fragrance Ladies Inspired by Hypnotic Poison	
Mobility in soil	No additional information available

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

4-hydroxy-3-methoxybenzaldehyde (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.
piperonal (120-57-0)	
Partition coefficient n-octanol/water (Log Pow)	1.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.1 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)	
Partition coefficient n-octanol/water (Log Pow)	4.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.57 (log Koc, Other, QSAR)
Ecology - soil	Low potential for adsorption in soil.
hexyl salicylate (6259-76-3)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.5 (log Koc, Calculated value)
Ecology - soil	Low potential for mobility in soil.
benzyl salicylate (118-58-1)	
Surface tension	69 mN/m (20 °C, 0.004 g/l, EU Method A.5: Surface tension)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
trans-anethol (4180-23-8)	
Surface tension	35 mN/m (25 °C)
Partition coefficient n-octanol/water (Log Pow)	3.388 (QSAR, KOWWIN, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.717 – 2.856 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / UN RTDG / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
1266	1266	1266
14.2. Proper Shipping Name		
PERFUMERY PRODUCTS	PERFUMERY PRODUCTS	Perfumery products
Transport document description		
Not applicable	UN 1266 PERFUMERY PRODUCTS, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1266 Perfumery products, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)		
3	3	3
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS) : 223
Limited quantities (SANS) : 5 L
Limited quantities (SANS) : 5 L
Packagings, large packagings and IBCs Packing instructions (SANS) : P001, IBC03, LP01
Portable tank and bulk containers instructions (SANS) : T2
Portable tank and bulk container special provisions (SANS) : TP1

IMDG

Special provisions (IMDG) : 163, 223, 904, 955
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Stowage category (IMDG) : A
Properties and observations (IMDG) : Miscibility with water depends upon the composition.

IATA

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3, A72
ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

15.1.1. OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Prohibited Hazardous Chemical Agents

Not regulated

15.1.2. National Environmental Management Act, 1998

Regulation No. 51358 (Prior Informed Consent Procedure Regulations, 2024)

Not regulated

15.2. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 5/20/2025
Revision date : 5/20/2027

Full text of H-statements

H224	Extremely flammable liquid and vapour
H302	Harmful if swallowed
H303	May be harmful if swallowed
H312	Harmful in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life

DOT Fragrance Ladies Inspired by Hypnotic Poison

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements	
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.