

SAVARA BEAUTY DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 6/13/2025 Revision date: 6/13/2027

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Trade name : DOT Fragrance Ladies Inspired by J'adore
Type of product : Perfumes, Fragrances
Product code : SH1902
Product group : Cosmetics, personal care products

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Supplier's details

Manufacturer

Shield Chemicals
9 London St
Apex Benoni
South Africa
T 0104482444

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 2 H361
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411
Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA) :



Signal word (GHS ZA) :

Warning

Hazardous ingredients

alpha-hexylcinnamaldehyde; alpha-methyl-1,3-benzodioxole-5-propanal; linalyl acetate; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one; beta-citronellol, (+/-)-; D-limonene; hexyl salicylate; linalool

Hazard statements (GHS ZA) :

H317 - May cause an allergic skin reaction
H361 - Suspected of damaging fertility. (Inhalation)
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS ZA) :

P203 - Obtain, read and follow all safety instructions before use.
P261 - Avoid breathing vapours, spray, mist, gas, fume, dust.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective clothing, eye protection, face protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P318 - IF exposed or concerned, get medical advice.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P317 - If skin irritation or rash occurs: Get medical help.

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.
P405 - Store locked up.
P501 - Dispose of contents and container to a hazardous or special waste collection point.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Suspected of damaging fertility or the unborn child, May cause an allergic skin reaction, Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to the United Nations GHS |
|---|---------------------|------------|--|
| benzyl salicylate | CAS-No.: 118-58-1 | 0.9 – 1.5 | Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Aquatic Acute 2, H401 Aquatic Chronic 2, H411 |
| alpha-hexylcinnamaldehyde | CAS-No.: 101-86-0 | 0.9 – 1.5 | Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Acute Tox. 3 (Inhalation:vapour), H331 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| alpha-methyl-1,3-benzodioxole-5-propanal | CAS-No.: 1205-17-0 | 0.3 – 0.75 | Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411 |
| linalyl acetate | CAS-No.: 115-95-7 | 0.3 – 0.75 | Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402 |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | CAS-No.: 54464-57-2 | 0.3 – 0.75 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 1, H410 |
| beta-citronellol, (+/-)- | CAS-No.: 106-22-9 | 0.3 – 0.75 | Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401 |

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Name | Product identifier | % | Classification according to the United Nations GHS |
|------------------|--|------------|---|
| D-limonene | CAS-No.: 5989-27-5 | 0.3 – 0.75 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |
| hexyl salicylate | CAS-No.: 6259-76-3 | 0.3 – 0.75 | Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| linalool | CAS-No.: 78-70-6 EC Index-No.: 603-235-00-2 | 0.15 – 0.3 | Flam. Liq. 4, H227 Acute Tox. Not classified (Dermal) Skin Sens. 1B, H317 |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : IF exposed or concerned: Get medical advice/attention. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
|-------------------------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. |
|----------------------|--|

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|---|---------------------|
| Appearance | : Liquid. |
| Colour | : Colourless |
| Odour | : Characteristics |
| Odour threshold | : No data available |
| pH | : No data available |
| pH solution | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Relative evaporation rate (ether=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability | : Non flammable |
| Vapour pressure | : No data available |
| Vapour pressure at 50°C | : No data available |
| Relative vapour density at 20°C | : No data available |
| Relative density | : No data available |
| Relative density of saturated gas/air mixture | : No data available |
| Density | : No data available |
| Relative gas density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Partition coefficient n-octanol/water (Log Kow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |
| Lower explosion limit | : No data available |
| Upper explosion limit | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

| benzyl salicylate (118-58-1) | |
|-------------------------------------|---|
| LD50 oral rat | 3031 – 3339 mg/kg bodyweight (EU Method B.1: Acute Toxicity (Oral), Rat, Male / female, Read-across, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s)) |

| alpha-hexylcinnamaldehyde (101-86-0) | |
|---|---|
| LD50 oral rat | 3100 mg/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value of similar product, Isomer, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 3000 mg/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Female, Experimental value of similar product, Isomer, Dermal, 7 day(s)) |
| LC50 Inhalation - Rat | > 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value of similar product, Isomer, Inhalation (aerosol), 14 day(s)) |

| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
|---|---|
| LD50 oral rat | 3362 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) |

| linalyl acetate (115-95-7) | |
|-----------------------------------|---|
| LD50 oral rat | > 9000 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s)) |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight (Rabbit, Experimental value, Dermal, 14 day(s)) |

| beta-citronellol, (+/-)- (106-22-9) | |
|--|---|
| LD50 oral rat | 3450 mg/kg (Rat, Experimental value, Oral) |
| LD50 dermal rabbit | 2650 mg/kg (Rabbit, Experimental value, Dermal) |

| D-limonene (5989-27-5) | |
|-------------------------------|---|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |

| hexyl salicylate (6259-76-3) | |
|-------------------------------------|--|
| LD50 oral rat | > 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Experimental value, Oral) |
| LD50 dermal rabbit | > 5000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal) |

| linalool (78-70-6) | |
|---------------------------|---|
| LD50 oral rat | 2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Weight of evidence, Oral, 014 day(s)) |
| LD50 oral | ≈ 2790 mg/kg |
| LD50 dermal rabbit | 5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s)) |

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|------------------------|--|
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Suspected of damaging fertility. (Inhalation). |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|--|
| Ecology - general | : Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects. |

| benzyl salicylate (118-58-1) | |
|--|---|
| LC50 - Fish [1] | 1.03 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| EC50 72h - Algae [1] | 1.29 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Experimental value, GLP) |
| BCF - Fish [1] | 1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP) |
| Partition coefficient n-octanol/water (Log Pow) | 4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |

| alpha-hexylcinnamaldehyde (101-86-0) | |
|--|--|
| LC50 - Fish [1] | 1.7 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value of similar product, Other isomer) |
| EC50 - Crustacea [1] | 0.36 – 0.59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value of similar product, Other isomer) |
| ErC50 algae | > 0.065 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value of similar product, Other isomer) |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer) |

| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
|---|--|
| LC50 - Fish [1] | 5.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 8.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 algae | 28 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration) |
| Partition coefficient n-octanol/water (Log Pow) | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) |

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
|---|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| linalyl acetate (115-95-7) | |
| LC50 - Fish [1] | 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 algae | 157 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |
| BCF - Fish [1] | 174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value) |
| beta-citronellol, (+/-)- (106-22-9) | |
| LC50 - Fish [1] | 15 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 - Crustacea [1] | 17 mg/l (EU Method, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 72h - Algae [1] | 2.4 mg/l (UBA, Scenedesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |
| BCF - Fish [1] | 83 l/kg (BCFBAF v3.00, Estimated value) |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (Experimental value, EU Method A.8: Partition Coefficient, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 (log Koc, EPIWIN 2.00, Estimated value) |
| D-limonene (5989-27-5) | |
| LC50 - Fish [1] | 720 µg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [1] | 0.36 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| NOEC (chronic) | 0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d' |
| hexyl salicylate (6259-76-3) | |
| LC50 - Fish [1] | 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value) |
| EC50 - Crustacea [1] | 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP) |
| ErC50 algae | 0.61 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP) |
| BCF - Fish [1] | 8913 l/kg (Pisces, Flow-through system, Calculated value) |
| Partition coefficient n-octanol/water (Log Pow) | 5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 (log Koc, Calculated value) |

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|--|---|
| linalool (78-70-6) | |
| LC50 - Fish [1] | 27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| ErC50 algae | 156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |
| Partition coefficient n-octanol/water (Log Pow) | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |

12.2. Persistence and degradability

| | |
|---|-------------------------------------|
| DOT Fragrance Ladies Inspired by J'adore | |
| Persistence and degradability | Rapidly degradable |
| benzyl salicylate (118-58-1) | |
| Persistence and degradability | Readily biodegradable in water. |
| alpha-hexylcinnamaldehyde (101-86-0) | |
| Persistence and degradability | Readily biodegradable in water. |
| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
| Persistence and degradability | Not readily biodegradable in water. |
| linalyl acetate (115-95-7) | |
| Persistence and degradability | Readily biodegradable in water. |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2) | |
| Persistence and degradability | Rapidly degradable |
| beta-citronellol, (+/-)- (106-22-9) | |
| Persistence and degradability | Readily biodegradable in water. |
| Chemical oxygen demand (COD) | 2.05 g O ₂ /g substance |
| ThOD | 2.961 g O ₂ /g substance |
| D-limonene (5989-27-5) | |
| Persistence and degradability | Rapidly degradable |
| hexyl salicylate (6259-76-3) | |
| Persistence and degradability | Readily biodegradable in water. |
| ThOD | 2.36 g O ₂ /g substance |
| linalool (78-70-6) | |
| Persistence and degradability | Readily biodegradable in water. |

12.3. Bioaccumulative potential

| | |
|---|---|
| DOT Fragrance Ladies Inspired by J'adore | |
| Bioaccumulative potential | No additional information available |
| benzyl salicylate (118-58-1) | |
| BCF - Fish [1] | 1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP) |

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| benzyl salicylate (118-58-1) | |
|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |
| Bioaccumulative potential | Potential for bioaccumulation ($500 \leq BCF \leq 5000$). |
| alpha-hexylcinnamaldehyde (101-86-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer) |
| Bioaccumulative potential | High potential for bioaccumulation (Log Kow > 5). |
| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| linalyl acetate (115-95-7) | |
| BCF - Fish [1] | 174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| beta-citronellol, (+/-)- (106-22-9) | |
| BCF - Fish [1] | 83 l/kg (BCFBAF v3.00, Estimated value) |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (Experimental value, EU Method A.8: Partition Coefficient, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 (log Koc, EPIWIN 2.00, Estimated value) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| hexyl salicylate (6259-76-3) | |
| BCF - Fish [1] | 8913 l/kg (Pisces, Flow-through system, Calculated value) |
| Partition coefficient n-octanol/water (Log Pow) | 5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 (log Koc, Calculated value) |
| Bioaccumulative potential | High potential for bioaccumulation (BCF > 5000). |
| linalool (78-70-6) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

12.4. Mobility in soil

| DOT Fragrance Ladies Inspired by J'adore | |
|---|--|
| Mobility in soil | No additional information available |
| benzyl salicylate (118-58-1) | |
| Surface tension | 69 mN/m (20 °C, 0.004 g/l, EU Method A.5: Surface tension) |
| Partition coefficient n-octanol/water (Log Pow) | 4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |
| Ecology - soil | Low potential for mobility in soil. |
| alpha-hexylcinnamaldehyde (101-86-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer) |
| Ecology - soil | Low potential for mobility in soil. |
| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Ecology - soil | Highly mobile in soil. |
| linalyl acetate (115-95-7) | |
| Surface tension | No data available in the literature |
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value) |
| Ecology - soil | Low potential for adsorption in soil. |
| beta-citronellol, (+/-)- (106-22-9) | |
| Surface tension | No data available in the literature |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (Experimental value, EU Method A.8: Partition Coefficient, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 (log Koc, EPIWIN 2.00, Estimated value) |
| Ecology - soil | Highly mobile in soil. |
| hexyl salicylate (6259-76-3) | |
| Surface tension | No data available in the literature |
| Partition coefficient n-octanol/water (Log Pow) | 5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 (log Koc, Calculated value) |
| Ecology - soil | Low potential for mobility in soil. |

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|--|--|
| linalool (78-70-6) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Low potential for adsorption in soil. |

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / UN RTDG / IMDG / IATA

| SANS | IMDG | IATA |
|---|--|--|
| 14.1. UN number | | |
| 1266 | 1266 | 1266 |
| 14.2. Proper Shipping Name | | |
| PERFUMERY PRODUCTS | PERFUMERY PRODUCTS | Perfumery products |
| Transport document description | | |
| Not applicable | UN 1266 PERFUMERY PRODUCTS, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS | UN 1266 Perfumery products, 3, III, ENVIRONMENTALLY HAZARDOUS |
| 14.3. Transport hazard class(es) | | |
| 3 | 3 | 3 |
| | | |
| 14.4. Packing group | | |
| III | III | III |
| 14.5. Environmental hazards | | |
| Dangerous for the environment : Yes | Dangerous for the environment : Yes Marine pollutant : Yes | Dangerous for the environment : Yes |
| No supplementary information available | | |

14.6. Special precautions for user

SANS

Special provisions (SANS) : 223
Limited quantities (SANS) : 5 L
Limited quantities (SANS) : 5 L
Packagings, large packagings and IBCs Packing instructions (SANS) : P001, IBC03, LP01

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Portable tank and bulk containers instructions (SANS) : T2
Portable tank and bulk container special provisions (SANS) : TP1

IMDG

Special provisions (IMDG) : 163, 223, 904, 955
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG) : A
Properties and observations (IMDG) : Miscibility with water depends upon the composition.

IATA

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3, A72
ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

15.1.1. OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Prohibited Hazardous Chemical Agents

Not regulated

15.1.2. National Environmental Management Act, 1998

Regulation No. 51358 (Prior Informed Consent Procedure Regulations, 2024)

Not regulated

15.2. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 6/13/2025
Revision date : 6/13/2027

Full text of H-statements

| | |
|------|---------------------------------------|
| H224 | Extremely flammable liquid and vapour |
| H225 | Highly flammable liquid and vapour |
| H226 | Flammable liquid and vapour |

DOT Fragrance Ladies Inspired by J'adore

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Full text of H-statements | |
|---------------------------|---|
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H331 | Toxic if inhaled |
| H361 | Suspected of damaging fertility or the unborn child |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H400 | Very toxic to aquatic life |
| H401 | Toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.