

SAVARA BEAUTY DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 3/2/2026 Revision date: 3/2/2028

SECTION 1: Identification

1.1. Product identifier

| | |
|-----------------|--|
| Product form | : Mixture |
| Trade name | : DOT Fragrance Mens Inspired by Bvlgari Men |
| Type of product | : Perfumes, Fragrances |
| Product code | : SH1944 |
| Product group | : Cosmetics, personal care products |

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Supplier's details

Manufacturer

Shield Chemicals
9 London St
Apex Benoni
South Africa
T 0104482444

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)

:



Signal word (GHS ZA)

:

-

Hazardous ingredients

:

acetyl cedrene; D-limonene; linalool; linalyl acetate; [3R(3a,3aB,6B,7B,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene; 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone; beta-citronellol, (+/-)-; hexyl salicylate; (E)-3-methyl-5-cyclopentadecen-1-one; coumarin; beta-pinene; alpha-methyl-1,3-benzodioxole-5-propanal; p-mentha-1,4-diene

Hazard statements (GHS ZA)

:

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS ZA)

:

P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read carefully and follow all instructions.
P273 - Avoid release to the environment.
P391 - Collect spillage.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

:

Suspected of causing cancer, Suspected of damaging fertility or the unborn child, May cause an allergic skin reaction, Toxic to aquatic life, Toxic to aquatic life with long lasting effects.

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to the United Nations GHS |
|---|--|------------|---|
| Oxacyclohexade cenone mixture | - | 0.75 – 1.5 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Pentadecan-15-olide | CAS-No.: 106-02-5 | 0.75 – 1.5 | STOT RE Not classified Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| acetyl cedrene | CAS-No.: 32388-55-9 | 0.3 – 0.75 | Flam. Liq. Not classified Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| D-limonene | CAS-No.: 5989-27-5 | 0.3 – 0.75 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |
| linalool | CAS-No.: 78-70-6 EC Index-No.: 603-235-00-2 | 0.3 – 0.75 | Flam. Liq. 4, H227 Acute Tox. Not classified (Dermal) Skin Sens. 1B, H317 |
| linalyl acetate | CAS-No.: 115-95-7 | 0.03 – 0.3 | Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402 |
| [3R(3a,3aB,6B,7B,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene | CAS-No.: 19870-74-7 | 0.03 – 0.3 | Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone | CAS-No.: 81-14-1 EC Index-No.: 609-069-00-7 | 0.03 – 0.3 | Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| beta-citronellol, (+/-)- | CAS-No.: 106-22-9 | 0.03 – 0.3 | Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401 |
| hexyl salicylate | CAS-No.: 6259-76-3 | 0.03 – 0.3 | Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Name | Product identifier | % | Classification according to the United Nations GHS |
|--|----------------------------|------------|---|
| (E)-3-methyl-5-cyclopentadecen-1-one | EC Index-No.: 606-119-00-X | 0.03 – 0.3 | Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| coumarin | CAS-No.: 91-64-5 | 0.03 – 0.3 | Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412 |
| beta-pinene | CAS-No.: 127-91-3 | 0.03 – 0.3 | Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| alpha-methyl-1,3-benzodioxole-5-propanal | CAS-No.: 1205-17-0 | 0.03 – 0.3 | Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411 |
| p-mentha-1,4-diene | - | 0.03 – 0.3 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Acute Not classified Aquatic Chronic 2, H411 |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : IF exposed or concerned: Get medical advice/attention. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
|-------------------------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|--------------------------|--|
| Eye protection | : Safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : [In case of inadequate ventilation] wear respiratory protection. |

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Appearance | : Liquid. |
| Colour | : Colourless |
| Odour | : Characteristics |
| Odour threshold | : No data available |
| pH | : No data available |
| pH solution | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Relative evaporation rate (ether=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability | : Non flammable |
| Vapour pressure | : No data available |
| Vapour pressure at 50°C | : No data available |
| Relative vapour density at 20°C | : No data available |
| Relative density | : No data available |
| Relative density of saturated gas/air mixture | : No data available |
| Density | : No data available |
| Relative gas density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Partition coefficient n-octanol/water (Log Kow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |
| Lower explosion limit | : No data available |
| Upper explosion limit | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Pentadecan-15-olide (106-02-5)

| | |
|-----------------|---|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |

D-limonene (5989-27-5)

| | |
|---------------|---|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
|---------------|---|

linalool (78-70-6)

| | |
|--------------------|---|
| LD50 oral rat | 2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Weight of evidence, Oral, 014 day(s)) |
| LD50 oral | ≈ 2790 mg/kg |
| LD50 dermal rabbit | 5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s)) |

linalyl acetate (115-95-7)

| | |
|--------------------|---|
| LD50 oral rat | > 9000 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s)) |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight (Rabbit, Experimental value, Dermal, 14 day(s)) |

4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1)

| | |
|--------------------|--------------------------------|
| LD50 oral rat | > 10000 mg/kg (Rat, Oral) |
| LD50 dermal rabbit | > 10000 mg/kg (Rabbit, Dermal) |

beta-citronellol, (+/-)- (106-22-9)

| | |
|--------------------|---|
| LD50 oral rat | 3450 mg/kg (Rat, Experimental value, Oral) |
| LD50 dermal rabbit | 2650 mg/kg (Rabbit, Experimental value, Dermal) |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|---|---|
| hexyl salicylate (6259-76-3) | |
| LD50 oral rat | > 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Experimental value, Oral) |
| LD50 dermal rabbit | > 5000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal) |
| coumarin (91-64-5) | |
| LD50 oral rat | 680 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| beta-pinene (127-91-3) | |
| LD50 oral rat | 4700 mg/kg (Rat, Oral) |
| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
| LD50 oral rat | 3362 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) |
| p-mentha-1,4-diene | |
| LD50 oral rat | ≈ 2000 mg/kg |
| LD50 dermal rat | ≈ 2000 mg/kg |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| p-mentha-1,4-diene | |
| STOT-single exposure | Not available |
| STOT-repeated exposure | : Not classified |
| Pentadecan-15-olide (106-02-5) | |
| NOAEL (oral, rat, 90 days) | ≥ 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| Aspiration hazard | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|---|
| Ecology - general | : Toxic to aquatic life. Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects. |

| | |
|---------------------------------------|---|
| Pentadecan-15-olide (106-02-5) | |
| LC50 - Fish [1] | 2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| LC50 - Fish [2] | 0.797 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | 0.17 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 0.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Pentadecan-15-olide (106-02-5) | |
|--|---|
| EC50 72h - Algae [2] | 0.47 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| LOEC (chronic) | 0.127 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 0.068 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC chronic fish | 0.027 mg/l Test organisms (species): Pimephales promelas Duration: '33 d' |
| acetyl cedrene (32388-55-9) | |
| LC50 - Fish [1] | 3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Static system, Experimental value, GLP) |
| EC50 - Crustacea [1] | 0.86 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value, GLP) |
| ErC50 algae | 4.3 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Experimental value, GLP) |
| BCF - Fish [1] | 867 – 3920 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP) |
| Partition coefficient n-octanol/water (Log Pow) | 5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| D-limonene (5989-27-5) | |
| LC50 - Fish [1] | 720 µg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [1] | 0.36 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| NOEC (chronic) | 0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d' |
| linalool (78-70-6) | |
| LC50 - Fish [1] | 27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| ErC50 algae | 156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |
| Partition coefficient n-octanol/water (Log Pow) | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| linalyl acetate (115-95-7) | |
| LC50 - Fish [1] | 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 algae | 157 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |
| BCF - Fish [1] | 174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight) |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| linalyl acetate (115-95-7) | |
|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value) |
| 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1) | |
| LC50 - Fish [1] | 0.5 mg/l (504 h, Salmo gairdneri, Flow-through system) |
| EC50 - Crustacea [1] | 0.46 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) |
| EC50 72h - Algae [1] | 0.24 mg/l (Selenastrum capricornutum, Growth rate) |
| BCF - Fish [1] | 1380 (831 h, Salmo gairdneri) |
| Partition coefficient n-octanol/water (Log Pow) | 4.3 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| beta-citronellol, (+/-)- (106-22-9) | |
| LC50 - Fish [1] | 15 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 - Crustacea [1] | 17 mg/l (EU Method, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 72h - Algae [1] | 2.4 mg/l (UBA, Scenedesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |
| BCF - Fish [1] | 83 l/kg (BCFBAF v3.00, Estimated value) |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (Experimental value, EU Method A.8: Partition Coefficient, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 (log Koc, EPIWIN 2.00, Estimated value) |
| hexyl salicylate (6259-76-3) | |
| LC50 - Fish [1] | 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value) |
| EC50 - Crustacea [1] | 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP) |
| ErC50 algae | 0.61 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP) |
| BCF - Fish [1] | 8913 l/kg (Pisces, Flow-through system, Calculated value) |
| Partition coefficient n-octanol/water (Log Pow) | 5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 (log Koc, Calculated value) |
| coumarin (91-64-5) | |
| LC50 - Fish [1] | 2.94 mg/l (96 h, Pimephales promelas, QSAR, Lethal) |
| EC50 - Crustacea [1] | 24.3 – 36.9 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| Partition coefficient n-octanol/water (Log Pow) | 1.51 (Estimated value, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.63 (log Koc, QSAR) |
| beta-pinene (127-91-3) | |
| LC50 - Fish [1] | 0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer) |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| beta-pinene (127-91-3) | |
|---|--|
| ErC50 algae | 0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer) |
| BCF - Fish [1] | 1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer) |
| Partition coefficient n-octanol/water (Log Pow) | 4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.836 (log Koc, Calculated value, Other isomer) |
| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
| LC50 - Fish [1] | 5.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | 8.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 algae | 28 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration) |
| Partition coefficient n-octanol/water (Log Pow) | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| p-mentha-1,4-diene | |
| LC50 - Fish [1] | ≈ 2.792 mg/l |
| EC50 72h - Algae [1] | ≈ 10.82 mg/l |

12.2. Persistence and degradability

| DOT Fragrance Mens Inspired by Bvlgari Men | |
|---|-------------------------------------|
| Persistence and degradability | Rapidly degradable |
| Oxacyclohexade cenone mixture | |
| Persistence and degradability | Rapidly degradable |
| Pentadecan-15-olide (106-02-5) | |
| Persistence and degradability | Rapidly degradable |
| acetyl cedrene (32388-55-9) | |
| Persistence and degradability | Not readily biodegradable in water. |
| D-limonene (5989-27-5) | |
| Persistence and degradability | Rapidly degradable |
| linalool (78-70-6) | |
| Persistence and degradability | Readily biodegradable in water. |
| linalyl acetate (115-95-7) | |
| Persistence and degradability | Readily biodegradable in water. |
| [3R(3a,3aB,6B,7B,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene (19870-74-7) | |
| Persistence and degradability | Rapidly degradable |
| 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1) | |
| Persistence and degradability | Not readily biodegradable in water. |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|---|-------------------------------------|
| beta-citronellol, (+/-)- (106-22-9) | |
| Persistence and degradability | Readily biodegradable in water. |
| Chemical oxygen demand (COD) | 2.05 g O ₂ /g substance |
| ThOD | 2.961 g O ₂ /g substance |
| hexyl salicylate (6259-76-3) | |
| Persistence and degradability | Readily biodegradable in water. |
| ThOD | 2.36 g O ₂ /g substance |
| (E)-3-methyl-5-cyclopentadecen-1-one | |
| Persistence and degradability | Rapidly degradable |
| coumarin (91-64-5) | |
| Persistence and degradability | Readily biodegradable in water. |
| beta-pinene (127-91-3) | |
| Persistence and degradability | Readily biodegradable in water. |
| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
| Persistence and degradability | Not readily biodegradable in water. |
| p-mentha-1,4-diene | |
| Persistence and degradability | Rapidly degradable |

12.3. Bioaccumulative potential

| | |
|--|---|
| DOT Fragrance Mens Inspired by Bvlgari Men | |
| Bioaccumulative potential | No additional information available |
| acetyl cedrene (32388-55-9) | |
| BCF - Fish [1] | 867 – 3920 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP) |
| Partition coefficient n-octanol/water (Log Pow) | 5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Bioaccumulative potential | Potential for bioaccumulation (500 ≤ BCF ≤ 5000). |
| linalool (78-70-6) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| linalyl acetate (115-95-7) | |
| BCF - Fish [1] | 174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1) | |
|---|--|
| BCF - Fish [1] | 1380 (831 h, Salmo gairdneri) |
| Partition coefficient n-octanol/water (Log Pow) | 4.3 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| Bioaccumulative potential | Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$). |
| beta-citronellol, (+/-)- (106-22-9) | |
| BCF - Fish [1] | 83 l/kg (BCFBAF v3.00, Estimated value) |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (Experimental value, EU Method A.8: Partition Coefficient, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 (log Koc, EPIWIN 2.00, Estimated value) |
| Bioaccumulative potential | Low potential for bioaccumulation ($\text{Log Kow} < 4$). |
| hexyl salicylate (6259-76-3) | |
| BCF - Fish [1] | 8913 l/kg (Pisces, Flow-through system, Calculated value) |
| Partition coefficient n-octanol/water (Log Pow) | 5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 (log Koc, Calculated value) |
| Bioaccumulative potential | High potential for bioaccumulation ($\text{BCF} > 5000$). |
| coumarin (91-64-5) | |
| Partition coefficient n-octanol/water (Log Pow) | 1.51 (Estimated value, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.63 (log Koc, QSAR) |
| Bioaccumulative potential | Low potential for bioaccumulation ($\text{Log Kow} < 4$). |
| beta-pinene (127-91-3) | |
| BCF - Fish [1] | 1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer) |
| Partition coefficient n-octanol/water (Log Pow) | 4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.836 (log Koc, Calculated value, Other isomer) |
| Bioaccumulative potential | Potential for bioaccumulation ($4 \leq \text{Log Kow} \leq 5$). |
| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Bioaccumulative potential | Low potential for bioaccumulation ($\text{Log Kow} < 4$). |

12.4. Mobility in soil

| DOT Fragrance Mens Inspired by Bvlgari Men | |
|---|--|
| Mobility in soil | No additional information available |
| acetyl cedrene (32388-55-9) | |
| Partition coefficient n-octanol/water (Log Pow) | 5.6 – 5.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|---|---|
| acetyl cedrene (32388-55-9) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 – 5.1 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Ecology - soil | Low potential for mobility in soil. |
| linalool (78-70-6) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Low potential for adsorption in soil. |
| linalyl acetate (115-95-7) | |
| Surface tension | No data available in the literature |
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value) |
| Ecology - soil | Low potential for adsorption in soil. |
| 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-14-1) | |
| Surface tension | 44 mN/m |
| Partition coefficient n-octanol/water (Log Pow) | 4.3 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| beta-citronellol, (+/-)- (106-22-9) | |
| Surface tension | No data available in the literature |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (Experimental value, EU Method A.8: Partition Coefficient, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 (log Koc, EPIWIN 2.00, Estimated value) |
| Ecology - soil | Highly mobile in soil. |
| hexyl salicylate (6259-76-3) | |
| Surface tension | No data available in the literature |
| Partition coefficient n-octanol/water (Log Pow) | 5.5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.5 (log Koc, Calculated value) |
| Ecology - soil | Low potential for mobility in soil. |
| coumarin (91-64-5) | |
| Surface tension | No data available in the literature |
| Partition coefficient n-octanol/water (Log Pow) | 1.51 (Estimated value, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.63 (log Koc, QSAR) |
| Ecology - soil | Highly mobile in soil. |
| beta-pinene (127-91-3) | |
| Partition coefficient n-octanol/water (Log Pow) | 4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.009 – 3.836 (log Koc, Calculated value, Other isomer) |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|---|--|
| beta-pinene (127-91-3) | |
| Ecology - soil | Low potential for mobility in soil. |
| alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Ecology - soil | Highly mobile in soil. |

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / UN RTDG / IMDG / IATA

| SANS | IMDG | IATA |
|---|--|---|
| 14.1. UN number | | |
| 1266 | 1266 | 1266 |
| 14.2. Proper Shipping Name | | |
| PERFUMERY PRODUCTS | PERFUMERY PRODUCTS | Perfumery products |
| Transport document description | | |
| Not applicable | UN 1266 PERFUMERY PRODUCTS, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS | UN 1266 Perfumery products, 3, III, ENVIRONMENTALLY HAZARDOUS |
| 14.3. Transport hazard class(es) | | |
| 3 | 3 | 3 |
| | | |
| 14.4. Packing group | | |
| III | III | III |
| 14.5. Environmental hazards | | |
| Dangerous for the environment : Yes | Dangerous for the environment : Yes Marine pollutant : Yes | Dangerous for the environment : Yes |
| No supplementary information available | | |

14.6. Special precautions for user

SANS
Special provisions (SANS) : 223

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| | |
|---|---------------------|
| Limited quantities (SANS) | : 5 L |
| Limited quantities (SANS) | : 5 L |
| Packagings, large packagings and IBCs Packing instructions (SANS) | : P001, IBC03, LP01 |
| Portable tank and bulk containers instructions (SANS) | : T2 |
| Portable tank and bulk container special provisions (SANS) | : TP1 |

IMDG

| | |
|------------------------------------|---|
| Special provisions (IMDG) | : 163, 223, 904, 955 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T2 |
| Tank special provisions (IMDG) | : TP1 |
| EmS-No. (Fire) | : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS |
| EmS-No. (Spillage) | : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS |
| Stowage category (IMDG) | : A |
| Properties and observations (IMDG) | : Miscibility with water depends upon the composition. |

IATA

| | |
|--|-----------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y344 |
| PCA limited quantity max net quantity (IATA) | : 10L |
| PCA packing instructions (IATA) | : 355 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 366 |
| CAO max net quantity (IATA) | : 220L |
| Special provisions (IATA) | : A3, A72 |
| ERG code (IATA) | : 3L |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

15.1.1. OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

Prohibited Hazardous Chemical Agents

Not regulated

15.1.2. National Environmental Management Act, 1998

Regulation No. 51358 (Prior Informed Consent Procedure Regulations, 2024)

Not regulated

15.2. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

| | |
|---------------|------------|
| Issue date | : 3/2/2026 |
| Revision date | : 3/2/2028 |

DOT Fragrance Mens Inspired by Bvlgari Men

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Full text of H-statements | |
|---------------------------|--|
| H224 | Extremely flammable liquid and vapour |
| H226 | Flammable liquid and vapour |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H351 | Suspected of causing cancer |
| H361 | Suspected of damaging fertility or the unborn child |
| H372 | Causes damage to organs through prolonged or repeated exposure |
| H400 | Very toxic to aquatic life |
| H401 | Toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.