

# SAVARA BEAUTY DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010  
Issue date: 6/13/2025 Revision date: 6/13/2027

### SECTION 1: Identification

#### 1.1. Product identifier

|                 |   |
|-----------------|---|
| Product form    | : Mixture                                       |
| Trade name      | : DOT Fragrance Mens Inspired by Terre d'Hermes |
| Type of product | : Perfumes, Fragrances                          |
| Product code    | : SH1915  |
| Product group   | : Cosmetics, personal care products             |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

#### 1.3. Supplier's details

##### Manufacturer

Shield Chemicals  
9 London St  
Apex Benoni  
South Africa  
T 0104482444

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

|   |      |
|---|------|
| Skin corrosion/irritation, Category 3                             | H316 |
| Serious eye damage/eye irritation, Category 2A                    | H319 |
| Skin sensitisation, Category 1                                    | H317 |
| Reproductive toxicity, Category 2                                 | H361 |
| Hazardous to the aquatic environment – Acute Hazard, Category 3   | H402 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 2 | H411 |

Full text of H-statements: see section 16

#### 2.2. Label elements

##### Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)



Signal word (GHS ZA)

: Warning

Hazardous ingredients

: 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one; D-limonene; linalyl acetate; alpha-hexylcinnamaldehyde; linalool; alpha-methyl-1,3-benzodioxole-5-propanal

Hazard statements (GHS ZA)

: H316 - Causes mild skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H361 - Suspected of damaging fertility. (Inhalation)  
H402 - Harmful to aquatic life  
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS ZA)

: P203 - Obtain, read and follow all safety instructions before use.  
P261 - Avoid breathing vapours, spray, gas, fume, dust, mist.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P280 - Wear protective clothing, eye protection, face protection.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P318 - IF exposed or concerned, get medical advice.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P332+P317 - If skin irritation occurs: Get medical help.  
P333+P317 - If skin irritation or rash occurs: Get medical help.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P391 - Collect spillage.  
P405 - Store locked up.  
P501 - Dispose of contents and container to a hazardous or special waste collection point.

### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Suspected of damaging fertility or the unborn child, Causes mild skin irritation, May cause an allergic skin reaction, Causes serious eye irritation, Harmful to aquatic life, Toxic to aquatic life with long lasting effects.

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

| Name  | Product identifier                             | %           | Classification according to the United Nations GHS   |
|---|--|-------------|--|
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | CAS-No.: 54464-57-2                            | 0.9 – 1.5   | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>Aquatic Chronic 1, H410   |
| D-limonene  | CAS-No.: 5989-27-5                             | 0.3 – 0.75  | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 3, H412  |
| linalyl acetate   | CAS-No.: 115-95-7                              | 0.3 – 0.75  | Flam. Liq. 4, H227<br>Acute Tox. Not classified (Oral)<br>Acute Tox. Not classified (Dermal)<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1B, H317<br>Aquatic Acute 3, H402                  |
| alpha-hexylcinnamaldehyde   | CAS-No.: 101-86-0                              | 0.3 – 0.75  | Flam. Liq. Not classified<br>Acute Tox. 5 (Oral), H303<br>Acute Tox. 5 (Dermal), H313<br>Acute Tox. 3 (Inhalation:vapour), H331<br>Skin Sens. 1B, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| linalool  | CAS-No.: 78-70-6<br>EC Index-No.: 603-235-00-2 | 0.09 – 0.15 | Flam. Liq. 4, H227<br>Acute Tox. Not classified (Dermal)<br>Skin Sens. 1B, H317  |

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Name                                     | Product identifier | %           | Classification according to the United Nations GHS  |
|--|--------------------|-------------|---|
| alpha-methyl-1,3-benzodioxole-5-propanal | CAS-No.: 1205-17-0 | 0.09 – 0.15 | Flam. Liq. Not classified<br>Acute Tox. 5 (Oral), H303<br>Acute Tox. 5 (Dermal), H313<br>Skin Sens. 1B, H317<br>Repr. 2, H361<br>Aquatic Acute 2, H401<br>Aquatic Chronic 2, H411 |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : IF exposed or concerned: Get medical advice/attention.   |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.   |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact  | : Eye irritation.                                  |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

#### 5.2. Special hazards arising from the substance or mixture

|  |                                |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

#### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

##### 6.1.1. For non-emergency personnel

|                      |  |
|----------------------|--|
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. |
|----------------------|--|

##### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

#### 6.2. Environmental precautions

Avoid release to the environment.

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Collect spillage.   |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information       | : Dispose of materials or solid residues at an authorized site.   |

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |  |
|-------------------------------|--|
| Precautions for safe handling | : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. |
| Hygiene measures              | : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.  |

### 7.2. Conditions for safe storage, including any incompatibilities

|                    |   |
|--------------------|---|
| Storage conditions | : Store locked up. Store in a well-ventilated place. Keep cool. |
|--------------------|---|

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

|                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Environmental exposure controls  | : Avoid release to the environment.            |

### 8.3. Individual protection measures, such as personal protective equipment (PPE)

|                          |  |
|--------------------------|--|
| Hand protection          | : Protective gloves  |
| Eye protection           | : Safety glasses   |
| Skin and body protection | : Wear suitable protective clothing                                |
| Respiratory protection   | : [In case of inadequate ventilation] wear respiratory protection. |

Personal protective equipment symbol(s):



### 8.4. Exposure limit values for the other components

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                     |
|--|---------------------|
| Physical state                             | : Liquid            |
| Appearance                                 | : Liquid.           |
| Colour                                     | : Colourless        |
| Odour                                      | : Characteristics   |
| Odour threshold                            | : No data available |
| pH   | : No data available |
| pH solution                                | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

|   |                     |
|---|---------------------|
| Relative evaporation rate (ether=1)             | : No data available |
| Melting point                                   | : Not applicable    |
| Freezing point                                  | : No data available |
| Boiling point                                   | : No data available |
| Flash point                                     | : No data available |
| Auto-ignition temperature                       | : No data available |
| Decomposition temperature                       | : No data available |
| Flammability                                    | : Non flammable     |
| Vapour pressure                                 | : No data available |
| Vapour pressure at 50°C                         | : No data available |
| Relative vapour density at 20°C                 | : No data available |
| Relative density                                | : No data available |
| Relative density of saturated gas/air mixture   | : No data available |
| Density   | : No data available |
| Relative gas density                            | : No data available |
| Solubility                                      | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Partition coefficient n-octanol/water (Log Kow) | : No data available |
| Viscosity, kinematic                            | : No data available |
| Viscosity, dynamic                              | : No data available |
| Explosive properties                            | : No data available |
| Oxidising properties                            | : No data available |
| Explosive limits                                | : No data available |
| Lower explosion limit                           | : No data available |
| Upper explosion limit                           | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

|   |   |
|---|---|
| <b>D-limonene (5989-27-5)</b>                               |   |
| LD50 oral rat   | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)               |
| <b>linalyl acetate (115-95-7)</b>                           |   |
| LD50 oral rat   | > 9000 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s))   |
| LD50 dermal rabbit  | > 5000 mg/kg bodyweight (Rabbit, Experimental value, Dermal, 14 day(s))   |
| <b>alpha-hexylcinnamaldehyde (101-86-0)</b>                 |   |
| LD50 oral rat   | 3100 mg/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value of similar product, Isomer, Oral, 14 day(s))                             |
| LD50 dermal rabbit  | > 3000 mg/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Female, Experimental value of similar product, Isomer, Dermal, 7 day(s))               |
| LC50 Inhalation - Rat                                       | > 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value of similar product, Isomer, Inhalation (aerosol), 14 day(s)) |
| <b>linalool (78-70-6)</b>                                   |   |
| LD50 oral rat   | 2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Weight of evidence, Oral, 014 day(s))                                   |
| LD50 oral   | ≈ 2790 mg/kg  |
| LD50 dermal rabbit  | 5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))   |
| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b> |   |
| LD50 oral rat   | 3362 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s))   |
| LD50 dermal rabbit  | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))                               |

|                                   |  |
|-----------------------------------|--|
| Skin corrosion/irritation         | : Causes mild skin irritation.                   |
| Serious eye damage/irritation     | : Causes serious eye irritation.                 |
| Respiratory or skin sensitization | : May cause an allergic skin reaction.           |
| Germ cell mutagenicity            | : Not classified                                 |
| Carcinogenicity                   | : Not classified                                 |
| Reproductive toxicity             | : Suspected of damaging fertility. (Inhalation). |
| STOT-single exposure              | : Not classified                                 |
| STOT-repeated exposure            | : Not classified                                 |
| Aspiration hazard                 | : Not classified                                 |

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : Harmful to aquatic life. Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute)  | : Harmful to aquatic life.  |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects.                          |

|                               |   |
|-------------------------------|---|
| <b>D-limonene (5989-27-5)</b> |   |
| LC50 - Fish [1]               | 720 µg/l Test organisms (species): Pimephales promelas  |
| EC50 - Crustacea [1]          | 0.36 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1]          | 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| <b>D-limonene (5989-27-5)</b>                               |  |
|---|--|
| NOEC (chronic)  | 0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'                                       |
| <b>linalyl acetate (115-95-7)</b>                           |  |
| LC50 - Fish [1]   | 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)  |
| EC50 - Crustacea [1]  | 59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)   |
| ErC50 algae   | 157 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)   |
| BCF - Fish [1]  | 174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight)  |
| Partition coefficient n-octanol/water (Log Pow)             | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)  | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value)  |
| <b>alpha-hexylcinnamaldehyde (101-86-0)</b>                 |  |
| LC50 - Fish [1]   | 1.7 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value of similar product, Other isomer)                           |
| EC50 - Crustacea [1]  | 0.36 – 0.59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value of similar product, Other isomer)             |
| ErC50 algae   | > 0.065 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value of similar product, Other isomer)                      |
| Partition coefficient n-octanol/water (Log Pow)             | 5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)  | 4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer) |
| <b>linalool (78-70-6)</b>                                   |  |
| LC50 - Fish [1]   | 27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)  |
| EC50 - Crustacea [1]  | 59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)  |
| ErC50 algae   | 156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)   |
| Partition coefficient n-octanol/water (Log Pow)             | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)  | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)   |
| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b> |  |
| LC50 - Fish [1]   | 5.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)  |
| EC50 - Crustacea [1]  | 8.3 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)  |
| ErC50 algae   | 28 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)                             |
| Partition coefficient n-octanol/water (Log Pow)             | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)  |

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b> |  |
|---|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)  | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |

### 12.2. Persistence and degradability

#### DOT Fragrance Mens Inspired by Terre d'Hermes

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

#### 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2)

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

#### D-limonene (5989-27-5)

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

#### linalyl acetate (115-95-7)

|                               |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
|-------------------------------|---------------------------------|

#### alpha-hexylcinnamaldehyde (101-86-0)

|                               |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
|-------------------------------|---------------------------------|

#### linalool (78-70-6)

|                               |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
|-------------------------------|---------------------------------|

#### alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)

|                               |                                     |
|-------------------------------|-------------------------------------|
| Persistence and degradability | Not readily biodegradable in water. |
|-------------------------------|-------------------------------------|

### 12.3. Bioaccumulative potential

#### DOT Fragrance Mens Inspired by Terre d'Hermes

|                           |                                     |
|---------------------------|-------------------------------------|
| Bioaccumulative potential | No additional information available |
|---------------------------|-------------------------------------|

#### linalyl acetate (115-95-7)

|                |   |
|----------------|---|
| BCF - Fish [1] | 174 l/kg (BCFBAF v3.00, Pisces, Calculated value, Fresh weight) |
|----------------|---|

|   |  |
|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
|---|--|

|  |   |
|--|---|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value) |
|--|---|

|                           |  |
|---------------------------|--|
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
|---------------------------|--|

#### alpha-hexylcinnamaldehyde (101-86-0)

|   |   |
|---|---|
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C) |
|---|---|

|  |  |
|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer) |
|--|--|

|                           |   |
|---------------------------|---|
| Bioaccumulative potential | High potential for bioaccumulation (Log Kow > 5). |
|---------------------------|---|

#### linalool (78-70-6)

|   |  |
|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
|---|--|

|  |  |
|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
|--|--|

|                           |  |
|---------------------------|--|
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
|---------------------------|--|

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b> |  |
|---|--|
| Partition coefficient n-octanol/water (Log Pow)             | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)  | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Bioaccumulative potential                                   | Low potential for bioaccumulation (Log Kow < 4).   |

### 12.4. Mobility in soil

| <b>DOT Fragrance Mens Inspired by Terre d'Hermes</b> |                                     |
|--|-------------------------------------|
| Mobility in soil                                     | No additional information available |

| <b>linalyl acetate (115-95-7)</b>                          |  |
|--|--|
| Surface tension  | No data available in the literature  |
| Partition coefficient n-octanol/water (Log Pow)            | 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.7 (log Koc, PCKOCWIN v1.66, Calculated value)  |
| Ecology - soil   | Low potential for adsorption in soil.  |

| <b>alpha-hexylcinnamaldehyde (101-86-0)</b>                |  |
|--|--|
| Partition coefficient n-octanol/water (Log Pow)            | 5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer) |
| Ecology - soil   | Low potential for mobility in soil.  |

| <b>linalool (78-70-6)</b>                                  |  |
|--|--|
| Partition coefficient n-octanol/water (Log Pow)            | 2.8 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.9 – 2.2 (log Koc, SRC PCKOCWIN v2.0, Calculated value)           |
| Ecology - soil   | Low potential for adsorption in soil.                              |

| <b>alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)</b> |  |
|---|--|
| Partition coefficient n-octanol/water (Log Pow)             | 2.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)  |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc)  | 1.85 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Ecology - soil  | Highly mobile in soil.   |

### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.




# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### SECTION 14: Transport information

In accordance with SANS / UN RTDG / IMDG / IATA

| SANS  | IMDG   | IATA  |
|---|--|---|
| <b>14.1. UN number</b>  |  |   |
| 1266  | 1266   | 1266  |
| <b>14.2. Proper Shipping Name</b>   |  |   |
| PERFUMERY PRODUCTS  | PERFUMERY PRODUCTS   | Perfumery products  |
| <b>Transport document description</b>   |  |   |
| Not applicable  | UN 1266 PERFUMERY PRODUCTS, 3, III,<br>MARINE POLLUTANT/ENVIRONMENTALLY<br>HAZARDOUS | UN 1266 Perfumery products, 3, III,<br>ENVIRONMENTALLY HAZARDOUS                    |
| <b>14.3. Transport hazard class(es)</b>   |  |   |
| 3   | 3  | 3   |
|  |     |  |
| <b>14.4. Packing group</b>  |  |   |
| III   | III  | III   |
| <b>14.5. Environmental hazards</b>  |  |   |
| Dangerous for the environment : Yes   | Dangerous for the environment : Yes<br>Marine pollutant : Yes                        | Dangerous for the environment : Yes   |
| No supplementary information available  |  |   |

### 14.6. Special precautions for user

#### SANS

|   |                     |
|---|---------------------|
| Special provisions (SANS)   | : 223               |
| Limited quantities (SANS)   | : 5 L               |
| Limited quantities (SANS)   | : 5 L               |
| Packagings, large packagings and IBCs Packing instructions (SANS) | : P001, IBC03, LP01 |
| Portable tank and bulk containers instructions (SANS)             | : T2                |
| Portable tank and bulk container special provisions (SANS)        | : TP1               |

#### IMDG

|                                    |   |
|------------------------------------|---|
| Special provisions (IMDG)          | : 163, 223, 904, 955  |
| Limited quantities (IMDG)          | : 5 L   |
| Excepted quantities (IMDG)         | : E1  |
| Packing instructions (IMDG)        | : P001, LP01  |
| IBC packing instructions (IMDG)    | : IBC03   |
| Tank instructions (IMDG)           | : T2  |
| Tank special provisions (IMDG)     | : TP1   |
| EmS-No. (Fire)                     | : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS |
| EmS-No. (Spillage)                 | : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS               |
| Stowage category (IMDG)            | : A   |
| Properties and observations (IMDG) | : Miscibility with water depends upon the composition.            |

#### IATA

|  |        |
|--|--------|
| PCA Excepted quantities (IATA)               | : E1   |
| PCA Limited quantities (IATA)                | : Y344 |
| PCA limited quantity max net quantity (IATA) | : 10L  |

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

|                                 |           |
|---------------------------------|-----------|
| PCA packing instructions (IATA) | : 355     |
| PCA max net quantity (IATA)     | : 60L     |
| CAO packing instructions (IATA) | : 366     |
| CAO max net quantity (IATA)     | : 220L    |
| Special provisions (IATA)       | : A3, A72 |
| ERG code (IATA)                 | : 3L      |

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

#### 15.1.1. OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

##### Prohibited Hazardous Chemical Agents

Not regulated

#### 15.1.2. National Environmental Management Act, 1998

##### Regulation No. 51358 (Prior Informed Consent Procedure Regulations, 2024)

Not regulated

### 15.2. Safety, health, and environmental national regulations specific for the product

No additional information available

## SECTION 16: Other information

|               |             |
|---------------|-------------|
| Issue date    | : 6/13/2025 |
| Revision date | : 6/13/2027 |

### Full text of H-statements

|      |   |
|------|---|
| H224 | Extremely flammable liquid and vapour                             |
| H226 | Flammable liquid and vapour                                       |
| H227 | Combustible liquid  |
| H303 | May be harmful if swallowed                                       |
| H304 | May be fatal if swallowed and enters airways                      |
| H313 | May be harmful in contact with skin                               |
| H315 | Causes skin irritation  |
| H316 | Causes mild skin irritation                                       |
| H317 | May cause an allergic skin reaction                               |
| H318 | Causes serious eye damage   |
| H319 | Causes serious eye irritation                                     |
| H331 | Toxic if inhaled  |
| H361 | Suspected of damaging fertility or the unborn child               |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H400 | Very toxic to aquatic life  |
| H401 | Toxic to aquatic life   |
| H402 | Harmful to aquatic life   |

# DOT Fragrance Mens Inspired by Terre d'Hermes

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

| Full text of H-statements |  |
|---------------------------|--|
| H410                      | Very toxic to aquatic life with long lasting effects |
| H411                      | Toxic to aquatic life with long lasting effects      |
| H412                      | Harmful to aquatic life with long lasting effects    |

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.